Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Jet Fuel

Sample ID: 2605EXL3787.15424
Strain: Jet fuel
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 05/12/2026
Batch#: 20260507-07

Client

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids		Complete
Heavy Metals		Pass
Microbials		Pass
Mycotoxins		Pass
GCMS Pesticides		Pass
LCMS Pesticides		Pass
Residual Solvents		Pass

Cannabinoids

Complete

0.2774%	0.1933%	23.387%
Δ9-THC	CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.009	0.025	ND	ND
CBD	0.025	0.050	0.1933	1.933
CBDa	0.019	0.050	ND	ND
CBG	0.025	0.050	1.4307	14.307
CBN	0.009	0.025	ND	ND
Δ8-THC	0.019	0.050	ND	ND
Δ9-THC	0.019	0.050	0.2774	2.774
THCa	0.013	0.025	24.4989	244.989
THCV	0.025	0.050	ND	ND
Total THC			**21.763**	**217.629**
Total CBD			**0.193**	**1.933**
Total CBG			**1.431**	**14.307**
Total			**23.387**	**233.869**

Date Tested:

Total THC = THCa * 0.877 + Δ9-THC + Δ8 THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
Cannabinoids: HPLC, SOP-004
Water Activity: Water Activity Meter, SOP-012
Moisture Content: Moisture Analyzer, SOP-011
Foreign Matter: Visual Inspection, SOP-001

Accreditation #128081
ISO/IEC 17025:2017

Scott Robertson
Lab Director
05/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Jet Fuel

Sample ID: 2605EXL3787.15424
Strain: Jet fuel
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 05/12/2026
Batch#: 20260507-07

Client

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.054	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.058	0.098	0.058	ND	Pass
Chlorfenapyr	0.056	0.097	0.056	ND	Pass
Cyfluthrin	0.052	0.097	2	ND	Pass
Cypermethrin	0.054	0.097	1	ND	Pass
Parathion Methyl	0.039	0.097	0.039	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.062	0.097	0.1	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	4.0000	5.0000		ND	Tested
Aflatoxin B2	4.0000	5.0000		ND	Tested
Aflatoxin G1	4.0000	5.0000		ND	Tested
Aflatoxin G2	4.0000	5.0000		ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus flavus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass
Yeast & Mold	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0150	0.05	0.2	ND	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	ND	Pass

GCMS Date Tested:
Pesticides: GC-MS/MS. GCMS Method SOP-006
LCMS Date Tested:
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested:
Microbials Footnote: Microbial: SOP-010
RFU = Relative Fluorescence Units
Heavy Metals Date Tested:
Heavy Metals: Heavy Metals: ICP-MS, SOP-007

Accreditation #128081
ISO/IEC 17025:2017

Scott Robertson
Lab Director
05/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Jet Fuel

Sample ID: 2605EXL3787.15424
Strain: Jet fuel
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 05/12/2026
Batch#: 20260507-07

Client

LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Abamectin	0.043	0.097	0.1	ND	Pass
Acephate	0.019	0.097	0.1	ND	Pass
Acequinocyl	0.031	0.097	0.1	ND	Pass
Acetamiprid	0.023	0.097	0.1	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass
Azoxystrobin	0.025	0.097	0.1	ND	Pass
Bifenazate	0.031	0.097	0.1	ND	Pass
Bifenthrin	0.033	0.097	3	ND	Pass
Boscalid	0.021	0.097	0.1	ND	Pass
Carbaryl	0.025	0.097	0.5	ND	Pass
Carbofuran	0.033	0.097	0.033	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass
Chlorpyrifos	0.019	0.097	0.019	ND	Pass
Clofentezine	0.035	0.097	0.1	ND	Pass
Coumaphos	0.039	0.097	0.039	ND	Pass
Daminozide	0.019	0.097	0.019	ND	Pass
Diazinon	0.031	0.097	0.1	ND	Pass
Dichlorvos	0.06	0.097	0.06	ND	Pass
Dimethoate	0.027	0.097	0.027	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass
Ethoprophos	0.023	0.097	0.023	ND	Pass
Etofenprox	0.041	0.097	0.041	ND	Pass
Etoxazole	0.027	0.097	0.1	ND	Pass
Fenhexamid	0.031	0.097	0.1	ND	Pass
Fenoxycarb	0.041	0.097	0.041	ND	Pass
Fenpyroximate	0.023	0.097	0.1	ND	Pass
Fipronil	0.037	0.097	0.037	ND	Pass
Flonicamid	0.039	0.097	0.1	ND	Pass
Fludioxonil	0.029	0.097	0.1	ND	Pass
Hexythiazox	0.043	0.097	0.1	ND	Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Imazalil	0.029	0.097	0.029	ND	Pass
Imidacloprid	0.021	0.097	5	ND	Pass
Kresoxim Methyl	0.045	0.097	0.1	ND	Pass
Malathion	0.027	0.097	0.5	ND	Pass
Metalaxyl	0.029	0.097	2	ND	Pass
Methiocarb	0.029	0.097	0.029	ND	Pass
Methomyl	0.029	0.097	1	ND	Pass
Mevinphos	0.033	0.1	0.033	ND	Pass
Myclobutanil	0.047	0.097	0.1	ND	Pass
Naled	0.033	0.097	0.1	ND	Pass
Oxamyl	0.021	0.097	0.5	ND	Pass
Paclobutrazol	0.027	0.097	0.027	ND	Pass
Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Phosmet	0.051	0.097	0.1	ND	Pass
Piperonyl Butoxide	0.037	0.097	3	ND	Pass
Prallethrin	0.047	0.097	0.1	ND	Pass
Propiconazole	0.023	0.097	0.1	ND	Pass
Propoxur	0.027	0.097	0.027	ND	Pass
Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Pyridaben	0.021	0.097	0.1	ND	Pass
Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Spiromesifen	0.047	0.097	0.1	ND	Pass
Spirotetramat	0.019	0.097	0.1	ND	Pass
Spiroxamine	0.025	0.097	0.025	ND	Pass
Tebuconazole	0.027	0.097	0.1	ND	Pass
Thiacloprid	0.033	0.097	0.033	ND	Pass
Thiamethoxam	0.027	0.097	5	ND	Pass
Trifloxystrobin	0.037	0.097	0.1	ND	Pass

LCMS Date Tested:
Pesticides: LC-MS/MS. LCMS Method SOP-005

Accreditation #128081
ISO/IEC 17025:2017

Scott Robertson
Lab Director
05/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Jet Fuel

Sample ID: 2605EXL3787.15424
Strain: Jet fuel
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 05/12/2026
Batch#: 20260507-07

Client

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	15.4688	46.875	5000	ND	Pass
Acetonitrile	15.4688	46.875	410	ND	Pass
Benzene	0.1547	0.4688	1	ND	Pass
Butane	15.4688	46.875	5000	ND	Pass
Chloroform	0.1547	0.4688	1	ND	Pass
1, 2-Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	15.4688	46.875	5000	ND	Pass
Ethyl Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl Alcohol	15.4688	46.875	5000	ND	Pass
Methanol	15.4688	46.875	3000	ND	Pass
Methylene Chloride	0.1547	0.4688	1	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	5000	ND	Pass
Toluene	15.4688	46.875	890	ND	Pass
Total Xylenes (o, m, p)	46.4063	140.625	2170	ND	Pass
Trichloroethylene	0.1547	0.4688	1	ND	Pass

Date Tested:
Residual Solvents: HS-GC-MS RS Method SOP-009

Accreditation #128081
ISO/IEC 17025:2017

Scott Robertson
Lab Director
05/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.