PSI LABS
PSI Labs California
181 W. Huntington Dr.
Monrovia, CA 91016
(855) 734-6640
/www.psilabs.org/
Lic# C8-0000022-LIC

Jealousy

Lab ID: 240605-700-BIOP(2)-2 METRC Batch: ;
METRC Sample:
Sample ID:
Strain:Jealousy
Matrix: Plant
Type: Flower - Cured Sample Size: ;
Batch:

Produced:
Collected:
Received:
Completed: 12/10/2024
Batch#:



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/10/2024	Pass

Cannabinoids

Pass

29.371% Total THC	ND Total CBD	33.760% Total Cannabinoids

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	33.760	337.60
Δ9-THC	0.01	0.01	ND	ND
Δ8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	ND	ND
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	ND	ND
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC			**29.371**	**29.371**
Total CBD			**ND**	**ND**
Total			**33.760**	**337.60**

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717

Raquel Keledjian
Lab Director
12/10/2024

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the ef cacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certi cate shall not be reproduced except in full, without the written approval of PH Solutions. Certi ed by Lab Director Dr. Raquel Keledjian